
One Integrated Marine Debris Observing System for a Clean Ocean

Satellite Activity of Ocean Decade Laboratory :
A Clean Ocean




Extremes events and monitoring














Cascading

flooding







OUEDS/WADIs, https://www.webdo.tn







Sept 17 Sept 24 Oct 01 Oct 08 Oct 15 Oct 22 Oct 29 Nov 05 Nov 12







France/ Normandy





1996, Spain/ la Coruna


Lebanon

Accidental events/containers











Hurricanes





Mexico 2021/https://fr.123rf.com





Noaa



https://www.weathernationtv.com


Natural events/ tsunami

REPORT

Tsunami-driven rafting: Transoceanic species dispersal and implications for marine biogeography

© James T. Carlton^{1,2,*}, © John W. Chapman³, © Jonathan B. Geller⁴, © Jessica A. Miller³, Deborah A. Carlton¹, © Mega...

Science 29 Sep 2017: Vol. 357, Issue 6358, pp. 1402-1406 DOI: 10.1126/science.aao1498









#5 millions tons of debris at sea (MoEJ), 70% Bottom/ 30% floating A 110 km long area/ 1 month with navigation forbidden



Monitoring the impacts of extreme events on plastic pollution?

- Cascading: inventory/mapping of high accumulation areas in the deep sea
- Flooding: evaluation/ prediction of inputs / dispersion
- Mapping coastal discharge
- Lost containers: satellite detection / visual & tagging
- Hurricanes: estimation of fluxes/ Dispersion of debris at sea
- Tsunamis: Dispersion of debris at sea
- A regular monitoring of species rafted by plastic /microplastics is needed

Take home messages:

- Extreme events may bring annually more plastic than regular inputs
- Satellite may help to monitor the impact of plastic pollution

One Integrated Marine Debris
Observing System for a Clean Ocean

Satellite Activity of Ocean Decade Laboratory :
A Clean Ocean

